



( )

\*

\_\_\_\_\_

\_\_\_\_\_

The International Index of ) IIEF

(Erectile Function

( / ) \_\_\_\_\_

/ /

.(Odds Ratio = / )

.( / / Odds Ratio)

./ / / Odds Ratio

\_\_\_\_\_

\_\_\_\_\_

// : // :

NIH

DSM-IV

NIH

)  
(  
)

.( )

.(

.( )

.( )

/

.( )

( )

( )

( HbA<sub>1c</sub> )

≤ (FBS)

( )

<sup>1</sup> National Institutes of Health (U.S. Public Health Service)  
<sup>2</sup> Diagnostic and Statistical Manual of Mental Disorders 4<sup>th</sup> ed.

| HbA <sub>1c</sub>                     |        | HbA <sub>1c</sub>        |     | IIEF      |     |
|---------------------------------------|--------|--------------------------|-----|-----------|-----|
| HbA <sub>1c</sub> (Good)              | (Fair) | HbA <sub>1c</sub> (Poor) | ( ) | ( )       | ( ) |
| ( )                                   | ( )    | ( )                      | ( ) | ( )       | ( ) |
| Erectile Dysfunction Score (ED Score) |        |                          |     |           |     |
| SPSS                                  |        |                          |     |           |     |
| Odds Ratio                            |        |                          |     |           |     |
|                                       |        | (Moderate ED)            |     | (Mild ED) |     |
|                                       |        | ( ) (Severe ED)          |     |           |     |
| ( / )                                 | ( / )  |                          |     |           |     |
| ( / )                                 | ( / )  | IIEF                     | (   |           |     |
| ( / )                                 | ( / )  | (                        | (   |           |     |
| :                                     |        |                          |     |           |     |
| ( )                                   |        |                          |     |           |     |
| ζ ( / )*                              |        |                          |     |           |     |
| ( / )                                 |        |                          |     |           |     |
| ( / )                                 |        |                          |     |           |     |
| ( / )                                 |        |                          |     |           |     |
| ( / )                                 |        |                          |     |           |     |
| ( ) *                                 |        |                          |     |           |     |
| ζ                                     |        |                          |     |           |     |
| ( )                                   | ( / )  |                          |     |           |     |

|                 |        | Odds Ratio |     |
|-----------------|--------|------------|-----|
|                 |        | Odds Ratio | ( ) |
| /               | ( )    | /          | /   |
| :               |        |            |     |
| <b>OR</b> _____ |        |            |     |
| /               | ( / )* | ( )        |     |
| /               | ( / )  |            |     |
| /               | ( / )  |            |     |
| /               | ( / )  |            |     |
| /               | ( / )  |            |     |
| /               | ( / )  |            |     |
| /               | ( / )  |            |     |
| /               | ( )    | +          |     |
| /               | ( / )  |            |     |
| /               | ( / )  |            |     |
|                 |        | ( )        | *   |
|                 |        |            | ζ   |

( / )

.(Odds Ratio = )

/ / Odds Ratio

.( )

( / )

( / )

/ ( / )

.(Odds Ratio = / )

.( ) / Odds Ratio

( / )

|     |           | Odds Ratio |                            |
|-----|-----------|------------|----------------------------|
|     |           | ( )        | /                          |
| ( ) | .         | .          | :                          |
| *   |           | ( )        |                            |
| ( ) | )% /      | ( )        | <b>Rubin &amp; Babbott</b> |
| ( ) | % /       | ( )        | <b>Ellenberg</b>           |
| /   | /         | ( )        | <b>Faerman et al.</b>      |
| /   | /         | ( )        | <b>McCulloch et al.</b>    |
| /   | /         | ( )        | <b>Nathan et al.</b>       |
| /   | /         | ( )        | <b>Cavan et al.</b>        |
| /   | /         | ( )        | <b>Modebe</b>              |
| /   | /         | ( )        | <b>Quadri et al.</b>       |
| ( ) | ) /       | ( )        | <b>Brunner et al.</b>      |
| /   | /         | ( )        | <b>Klein et al.</b>        |
| /   | /         | ( )        | <b>Siu et al.</b>          |
| /   | ( / ) ( ) | ( )        | <b>El-Sakka et al.</b>     |

\*

(P &lt; / )

(McCulloch)

(P &lt; / )

(Modeb)

(P &lt; / )

(Klein)

(Nathan)

.( )

(P &lt; / )

.( / )

.( )

-

.( )



( ) .

( ) .

## References:

1. Beutel ME, Weidner W, Braehler E. Epidemiology of sexual dysfunction in the male population. *Andrologia* 2006;38:115-21.
2. Cartledge JJ, Eardley I, Morrison JF. Nitric oxide-mediated corpus cavernosal smooth muscle relaxation is impaired in ageing and diabetes. *BJU international* 2001;87:394-401.
3. Pegge NC, Twomey AM, Vaughton K, et al. The role of endothelial dysfunction in the pathophysiology of erectile dysfunction in diabetes and in determining response to treatment. *Diabet Med* 2006;23:873-8.
4. Paick JS, Yang JH, Kim SW, Ku JH. Severity of erectile dysfunction in married impotent patients: interrelationship with anthropometry, hormones, metabolic profiles and lifestyle. *Int J Urol* 2007;14:48-53.
5. Colakoglu Z, Kutluay E, Ertekin C, et al. Autonomic nerve involvement and venous leakage in diabetic men with impotence. *BJU Int* 1999;83: 453-6.
6. Rance J, Phillips C, Davies S, et al. How much of a priority is treating erectile dysfunction? A study of patients' perceptions. *Diabet Med* 2003;20:205-9.
7. Ferro A. Erectile dysfunction in diabetes: 'NO' role for the endothelium? *Int J Clin Pract* 2006;60:1154-5.
8. Browne DL, Meeking DR, Allard S, et al. Diabetic erectile dysfunction--an indicator of generalised endothelial function per se? *Int J Clin Pract* 2006;60:1323-6.
9. Kuzuya T, Nakagawa S, Satoh J, et al. Report of the Committee on the classification and diagnostic criteria of diabetes mellitus. *Diabetes Res Clin Pract* 2002;55:65-85.
10. Rosen RC, Cappelleri JC, Gendrano N, 3rd. The International Index of Erectile Function (IIEF): a state-of-the-science review. *Int J Impot Res* 2002;14:226-44.
11. Bacon CG, Hu FB, Giovannucci E, et al. Association of type and duration of diabetes with erectile dysfunction in a large cohort of men. *Diabetes care* 2002; 25:1458-63.
12. Fedele D, Coscelli C, Santeusano F, et al. Erectile dysfunction in diabetic subjects in Italy. Gruppo Italiano Studio Deficit Erettile nei Diabetici. *Diabetes care* 1998;21:1973-7.
13. Safarinejad MR. Prevalence and risk factors for erectile dysfunction in a population-based study in Iran. *Int J Impot Res* 2003;15:246-52.
14. Pohnolzer A, Temml C, Mock K, et al. Prevalence and risk factors for erectile dysfunction in 2869 men using a validated questionnaire. *Eur Urol* 2005;47:80-5.
15. Rubin A, Babbott D. Impotence and diabetes mellitus. *J Am Med Assoc* 1958;168:498-500.
16. Montenero P, Donatone E. Preliminary results on the gentamicin effect in the urinary tract infections of diabetic subjects. *G Ital Chemioter* 1969;16:130-2.
17. Prikhozhan VM. Impotence in diabetes mellitus. *Probl Endokrinol* 1967;13:37-41.
18. Beyer J, Schoffling K. Clinical experience with glibenclamide in 300 diabetics. *Postgrad Med J* 1970;Suppl:78-83.
19. Ellenberg M. Impotence in diabetes: the neurologic factor. *Ann Intern Med* 1971; 75: 213-9.
20. Faerman I, Vilar O, Rivarola MA, et al. Impotence and diabetes. Studies of androgenic function in diabetic impotent males. *Diabetes* 1972;21:23-30.
21. Quadri R, Zanone M, Maule S, Ponzani P, Fonzo D. Is it possible to prevent andrological complications in the diabetic patient?. *Arch Ital Urol Nefrol Androl* 1991;63:435-9.
22. McCulloch DK, Campbell IW, Wu FC,

- Clarke B, Prescott RJ. Impotence in diabetic and non-diabetic hospital outpatients. *Br Med J* 1980;281:1216.
23. Cavan DA, Barnett AH, Leatherdale BA. Diabetic impotence: risk factors in a clinic population. *Diabetes Res* 1987;5:145-8.
24. Modebe O. Erectile failure among medical clinic patients. *Afr J Med Med Sci* 1990;19:259-64.
25. Romeo JH, Seftel AD, Madhun ZT, et al. Sexual function in men with diabetes type 2: association with glycemic control. *J Urol* 2000;163:788-91.
26. Brunner GA, Pieber TR, Schattenberg S, et al. Erectile dysfunction in patients with type I diabetes mellitus. *Wien Med Wochenschr* 1995;145:584-6.
27. Klein R, Klein BE, Lee KE, Moss SE, Cruickshanks KJ. Prevalence of self-reported erectile dysfunction in people with long-term IDDM. *Diabetes care* 1996;19:135-41.
28. Nathan DM, Singer DE, Godine JE, Perlmutter LC. Non-insulin-dependent diabetes in older patients. Complications and risk factors. *Am J Med* 1986;81:837-42.
29. Siu SC, Lo SK, Wong KW, et al. Prevalence of and risk factors for erectile dysfunction in Hong Kong diabetic patients. *Diabet Med* 2001;18:732-8.
30. El-Sakka AI, Tayeb KA. Erectile dysfunction risk factors in noninsulin dependent diabetic Saudi patients. *J Uro* 2003;169:1043-7.
31. Bortolotti A, Parazzini F, Colli E, Landoni M. The epidemiology of erectile dysfunction and its risk factors. *Int J Androl* 1997;20:323-34.
32. Alexander W. The management of erectile dysfunction associated with diabetes. *Sex Dys* 1998; 1: 113-8.