



( ) -

\*

\*\*

\_\_\_\_\_

( )

\_\_\_\_\_

( )

/

/

\_\_\_\_\_

//

\_\_\_\_\_

// :

// :

.( ) .( )

/ /

/ /

.( ) ( )

.( ) / ( ) ( )

/ /

) .( )

/ .(

.( )

/

/ / .( )

.( )

.( )

.( )

.( )

.( )

.( )

.( )

(Fractional Urinary Fluoride Excretion)

.( )

.( )

.( )

(National Research Council)

( )

( )

)

(

TSIF Dean's Index

(Tooth surface index of Fluorosis)

( )

)

(

(Model 96-09, Thermo Orion; USA )

SPSS

)

(SPSS Inc., Chicago, IL, USA)

(

(Anova)

( )

/ ( ± / ) ( )



( )

( )

( )

( )

( )

( )

( )

( )

( )

( )

( )

/

/

/

(Marthaler)

/ /

/ /

/ - /

/

/

/

( )

) / ( ) /

(

/

/ /)

/ )

(

( /

/	/	)	(	/	/	)
	(	/				( )
		( )				
						( )
						( )

## References:

1. Dean HT. The investigation of physiological effects by the epidemiological method. In: Moulton FR, editor. Fluorine and dental health. Washington, DC: American Association for the Advancement of science, 1942, 23-31.
2. McDonagh, MS, Whiting PF, Wilson PM, et al. Systemic Review of water Fluoridation. Br Med J 2000; 321:855-9.
3. Wilson RH, De Eds F. The Synergistic Action of Thyroid on Fluorine Toxicity. Endocrinology 1940; 26: 851
4. Wilson DC. Fluorine in aetiology of endemic goiter. Lancet 1941; 1: 211-3.
5. Travbesli M, Gurrnazi F, Zeghal N. Effect of Fluoride on Thyroid function and cerebellar development in mice. Fluoride 2001; 34: 165-73.
6. Burt BA. The changing patterns of systemic fluoride intake. J Dent Res 1992; 71: 1228-37.
7. Pendrys DG, Stamm JW. Relationship of total fluoride intake to beneficial effects and enamel fluorosis. J Dent Res 1990; 69: 529-38.
8. Zohouri FV, Rugg-Gunn AJ. Fluoride concentration in foods from Iran. Int J Food Sci Nutr. 1999; 50:265-74.
9. National Research Council. Food and Nutrition Board. Recommended dietary allowances 10th ed. Washington DC: National academy press, 1989, 235-40.
10. Marthaler TM. Conservative ranges of optimal fluoride intake (mg). J Biol Buccale 1992; 20:121-7.
11. McClure FJ. Ingestion of fluoride and dental caries. Quantitative relations based on food and water requirements of children 1 to 12 years old. Am J Dis Child 1943; 66:362-9.
12. Ophaugh RH, Singer L, Harland BF. Estimated fluoride intake of average two-year-old children in four dietary regions of the United States. J Dent Res 1980; 59:777-81.
13. CDC. Adapted from Institute of medicine. Fluoride in: Dietary reference intakes for calcium, phosphorus, magnesium, vitamin D, and fluoride. Washington DC: National academy Press, 1997, 288-313.
14. Baelum V, Fejerskov O, Manji F, et al. Daily dose of fluoride and dental fluorosis. Tandlaegebladet 1987; 91: 452-6.
15. Fejerskov O, Stephen KW, Richards A, et al. Combined effect of systemic and topical fluoride treatments on human deciduous teeth-case studies. Caries Res 1987; 21:452-9.
16. World Health Organization. Fluorides and Oral Health: Report of a WHO expert committee on oral health status and fluoride use ser. no 846. Geneva: WHO tech: 1994.
17. International Collaborative Research on Fluoride. J Dent Res 2000; 79: 893-904.
18. Murray JJ, editor. Appropriate use of fluorides for human health. Geneva: WHO 1986.
19. Fakhri M, Prevalence of dental fluorosis in Bushehr province. DMD Thesis. Isfahan Univ Med Sci, 1991.

20. Saadatnia, The prevalence of dental fluorosis among 11-14 year old children in Burazjan region of Bushehr Province. DMD Thesis. Shiraz Univ Med Sci, 1996.
21. Nozari A, Khorshidian K, Hashemi A. Dental fluorosis and DMFT in 12-15 year old students in the coastal region of Tangestan (Bushehr province). Scientific Quarterly of Shiraz Univ Med Sci 1998; 1: 30-3.
22. Mortazavi M, Bardestani GH, Danesh M. The prevalence of fluorosis and DMFT among 11-16 year old children in Dayer (Bushehr province). Scientific Quarterly of Shiraz Univ Med Sci 2002; 3: 66-73.
23. Ramezani GH, Valaei N, Eikani H. Prevalence of DMFT and fluorosis in the students of Dayer city (Iran). J Indian Soc Pedod Prev Dent 2004; 22:49-53.
24. Behroozi S, Tahmasebi M. The prevalence of gingivitis and its determinants, gingival pigmentation, dental fluorosis and DMFT in 6-18 year old Bushehr port students. Persian Gulf Health Research Center, Bushehr Univ Med Sci, 2001.
25. Country report on Oral Health in the Islamic Republic of Iran. Tehran: Ministry of Health and Medical Education, Under-secretary for Public Health ;Oral Health Department, 2000.
26. World Health Organization. Oral Health Surveys Basic methods. 4th ed. Geneva: WHO tech; 1997.
27. Stephen KW, Banoczy J, Pakhomov GN, editors. Milk fluoridation for the prevention of Dental caries. WHO/ORH/MF/DOC 96.1. Geneva: WHO tech; 1996.
28. Forsman B. Early supply of fluoride and enamel fluorosis. Scand J Dent Res 1977; 85: 22-30.
29. Ketley CE, Lennon MA. Determination of fluoride intake from urinary fluoride excretion data in children drinking fluoridated school milk. Caries Res 2001; 35:252-7.
30. Villa A, Ababalon M, Cabezas L. The fractional urinary fluoride excretion in young children under stable fluoride intake conditions. Community Dent Oral Epidemiol 2000; 28: 344-55.
31. Ekstrand J, Whitford GM: Fluoride Metabolism; In: Ekstrand J, Fejerskov O, Silverstone LM, editors. Fluoride in dentistry. Copenhagen, Munksgaard, 1988, ch 7.
32. Marthaler TM, Steiner M, Menghini G, et al. Urinary fluoride excretion in children with low fluoride intake or consuming fluoridated salt. Caries Res 1995; 29:26-34
33. Brunetti A & Newburn E. Fluoride balance of children 3 and 4 years old. Caries Res 1983; 17:171, Abstr 41.
34. Zohuori FV, Rugg-Gunn AJ. Total fluoride intake in 4-year-old Iranian children residing in low-fluoride areas. Brit J Nutr 2000; 83:15-25.
35. Mofid R, Sadr SJ. Prevalence of dental fluorosis and enamel opacities in Tehran students. Shahid Beheshti Med Sci Univ J Dental School. 1995; 24:54-5.
36. Iramloo B, Ansari G, Khademi A. The prevalence of dental fluorosis and its relationship with drinking water in students of coastal Lengeh Port (Hormozgan province) Shahid Beheshti Med Sci Univ J Dental School. 2000; 4:281-6.
37. Ermis RB, Koray F, Akdeniz BG. Dental caries and fluorosis in low- and high-fluoride areas in Turkey. Quintessence Int. 2003; 34: 354-60.
38. Whelton H, Crowley E, O'Mullane D, et al. Dental caries and enamel fluorosis among the fluoridated and non-fluoridated populations in the Republic of Ireland in 2002. Community Dent Health. 2004; 21: 37-44.
39. Grobleri SR, Louw AJ, Van Kotze TJ. Dental fluorosis and caries experience in relation to three different drinking water fluoride levels in South Africa. Int J Paediatr Dent. 2001; 11:372-9.
40. Rugg-Gunn AJ, Nunn JH, Ekanayake I, et al. Urinary fluoride excretion in 4-year-old children in Sri-Lanka and England. Caries Res 1993; 27:478-83.