

() -

*

:

/

XVIII XVII XVI I

XIV II

:

*

E.mail : hatam25@hotmail.com

/		/	
		/	
() (Robinson)		(Schistosomiasis)	
x		.()	
(Dithiothritol)			
(Amino coproic	EDTA		
	acid)		
(Freezing and thawing)		.()	
		.()	
		(Sargeaunt)	
PAGE			
		(HK	(GPI E.C. 5 3 1 9)
(Discontinious Poly Acrylamaide		(ME E.C 1 1 1 40)	E.C 2 7 1 1)
Gel Electrophoresis)		(PGM E.C 2 7 5 1)	
Bio rad (Cat.No.#165-3301)			
Separating			
(Stucking)	Stucking	.()	
)		α	β
(		.()	
		/	
(MTT)			

(PMS)

.()

:

-

/

.()


:

-

:

-


23 19 18 17 Bac. 16 13 12 11 10



(GPI)

:

Bac. = Bacterial sample.



1 2 3 11 5 S.h S.d 8 9 10 12 13 14 E.ch.

(PGM)

:

S.h = Standard of *Entamoeba histolytica*
S.d = Standard of *Entamoeba dispar*
E.ch.= *Entamoeba chatton*

:

M	-	-	-	-	-	-	-	-	-	-	-
E	-	-	-	-	-	-	-	-	-	-	-
H			=	=		=	=	=			=
K			=	=		=	=	=			=
P											
G	-	-						-	-		-
M	-	-									
G				-		-	-				-
P	-	=	-	=	-	=	=	-	=	-	-
I	-	=	-	=	-	=	=	-	=	-	-
Z	I	XVI	I	*	*	XVII	XVII	II	XVII	II	XVII
N	13	14	15	16	17	18	19	20	21	22	23

M	-			-	-	-	-			-	-	
E	-			-	-	-	-			-	-	
H	=		=	=	=	=	=	=	=	=	=	=
K	=		=	=	=	=	=	=	=	=	=	=
P												
G	-	-								-	-	
M	-	-	-		-			-	-	-	-	-
G			-		-	-				-	-	-
P	-	-	=	-	=	=	-	-	-	-	-	-
I	-	-	=	-	=	=	-	-	-	-	-	-
Z	II	II	XVII	II	XVII	XVII	I	I	I	XVIII	XIV	XVI
N	1	2	3	4	5	6	7	8	9	10	11	12

HK PGM

=*

.()

PGM

(Hrs-S)

()

.()

References :

1. Gonzalez-Ruiz A, Haque R, Rhman T, et al.. Diagnosis of amebic dysentery by detection of *Entamoeba histolytica* fecal antigen by an invasive strain specific monoclonal antibody –based enzyme linked immunosorbent assay. *J Clin Microbiol* 1994; 32: 964-970.
2. Bhattacharya A, Satish S, Baghi A, et al.The genome of *Entamoeba histolytica*. *Inter J Parasitol* 2000; 30:401-410.
3. World Health Organization. Amoebiasis.W.H.O Weekly Epidemiol Rec 1997; 72:97-100.
4. Bavej UK, Francis S, Kaura M, et al. The Zymodemes of *Entamoeba histolytica* in New Delhi, India. *J Diarrhoeal Dis* 1990; 8:27-30.
5. Sargeaunt PG. Zymodemes expressing possible genetic exchange in *Entamoeba histolytica*. *Trans R Soc Trop Med Hyg* 1985; 79:86-9.
6. Sargeaunt PG,Williams JE, Grene JD. The differentiation of invasive and noninvasive *Entamoeba histolytica* by isoenzyme electrophoresis.*Trans Royal Soc Trop Med Hyg* 1978 ;72:437.
7. Robinson GL.The Laboratory diagnosis of human parasitic amoeba. *Trans R Soc Trop Med Hyg* 1968; 62 : 285- 94.
8. Haque R, Ali IKM, Akther S, et al. Comparison of PCR Isoenzyme analysis and antigen detection for diagnosis of *Entamoeba histolytica* infection. *J Clin Microbiol* 1998 ;36:449-52.
9. Gathiram V, Jackson TFHG. A longitudinal study of asymptomatic carriers of pathogenic zymodemes of *Entamoeba histolytica*. *S Afr Med J* 1987; 72:669-672.