



( )

\*

( )

\_\_\_\_\_

\_\_\_\_\_

/ /

\_\_\_\_\_

/

/

\_\_\_\_\_

\_\_\_\_\_

// :

// :

/

/

.()

(Rattus)

(Wistar)

.()

±

.()

/

/

.()

/

(Jeong)

.( )

/

/

/

$$\Delta y \text{ و } \Delta x$$

$$a(p) = \frac{\Delta y \cdot \Delta x}{m^2}$$

m=

$$A = \sum p \cdot a(p)$$

a(p)=

$\sum p =$

A=

$$V = \sum p \cdot a(p) \cdot t$$

t=

**:Coefficient Error (CE)**

(.)

( )

(Mathron)

(gride)

$$CE = \frac{\sqrt{\frac{\tau a + c - \tau b}{\tau}}}{\sum p}$$

: c , b , a

$$a = \sum_{i=1}^m p_i . p_i$$

$$b = \sum_{i=1}^m p_i . p_{i+1}$$

$$c = \sum_{i=1}^m p_i . p_i + \tau$$

:

/ /

( )

:

(SPSS Inc., Chicago, IL, USA) SPSS

/

( )

( )

:

/ ± /	/ ± /	/ ± /	/ ± /	/ ± /	/ ± /	/ ± /
/ ± /	/ ± /	* / ± /	/ ± /	/ ± /	/ ± /	/ ± /
/ ± /	** / ± /	** / ± /	/ ± /	/ ± /	/ ± /	/
** / ± /	/ ± /	* / ± /	* / ± /	/ ± /	/ ± /	/
/ ± /	/ ± /	/ ± /	/ ± /	/ ± /	/ ± /	/
/ ± /	/ ± /	* / ± /	/ ± /	/ ± /	/ ± /	/

P < /

\*

P < /

\*\*

						p< /
<b>(Coefficient error)</b>						:
% /	% /	% /	% /	% /	% /	
%	% /	% /	% /	%	% /	
% /	% /	% /	% /	%	% /	/
% /	% /	% /	% /	% /	% /	/
% /	% /	% /	%	% /	% /	/
% /	% /	% /	% /	% /	% /	/
	p< /					:
				/ /		
	( )					
		( )				:
<b>P</b>						
/	/ ± /	/ ± /	/ ± /	/ ± /	/ ± /	
/	/ ± /	/ ± /	/ ± /	/ ± /	/ ± /	
/	/ ± /	/ ± /	/ ± /	/ ± /	/ ± /	/
/	/ ± /	/ ± /	/ ± /	/ ± /	/ ± /	/
/	/ ± /	/ ± /	/ ± /	/ ± /	/ ± /	/
/	/ ± /	/ ± /	/ ± /	/ ± /	/ ± /	/
<b>(Correlation)</b>						
	P< /					:
	( )					

/

/

:

/	/	/	/	/	/	
/	/	/	/	/	/	<b>P</b>
/	/	/	/	/	/	
/	/	/	/	/	/	<b>P</b>

(Aalto)

/

( )

SGOT

( )

( )

(Oral)

( )

( )

( )

## References:

---

1. Trosic I, Matatauscipisl M, Radaly Z, et al. Animal study on electromagnetic field biological potency. *Arch Hig Rada Toksikol* 1999 ; 50: 5-11.
3. Van Den Heuvel R, Leppens H, Nemethova G, et al. Haemopoietic cell proliferation in murine bone marrow cells exposed to extreme low frequency (ELF) electromagnetic fields. *Toxicol In Vitro* 2001;15:351-5.
4. Sait ML, Wood AW, Kirsner RL. Effects of 50 Hz magnetic field exposure on human heart rate variability with passive tilting. *Physiol Meas* 2006;27: 73-83.
5. Baldi E, Baldi C, Lithgow BJ. A pilot investigation of the effect of extremely low frequency pulsed electromagnetic fields on humans' heart rate variability. *Bioelectromagnetics* 2007; 28:64-8.
6. Jeong JH, Kim JS, Lee BC, et al. Influence of exposure to electromagnetic field on the cardiovascular system. *Auton Autacoid Pharmacol* 2005; 25:17-23.
7. Smith A, Brutom J. A color atlas of histological staining techniques, 2th ed. USA: Wolf medical publication; 1978, 133-163.
8. Howard CV, Reed MG. Unbiased stereology, Liverpool, UK: Bios scientific publishers, 1998, 1-345.
9. Oral B, Guney M, Ozguner F, et al. Endometrial apoptosis induced by a 900-MHz mobile phone: preventive effects of vitamins E and C. *Adv Ther* 2006; 23:957-73.
10. Aalto S, Haarala C, Bruck A, et al. Mobile phone affects cerebral blood flow in humans. *J Cereb Blood Flow Metab* 2006; 26: 885-90.
11. Bortkiewicz A, Gadzicka E, Zmyslony M, et al. Neurovegetative disturbances in workers exposed to 50 Hz electromagnetic fields. *Int J Occup Med Environ Health* 2006;19:53-60.
12. Edward F, Block IV. The Philosophy of Bioelectromagnetic Medicine, Introduction to Medical Schemas. *J Bioelectromag Med* 2004; 9. (Accessed 20 Aug, 2007 at: <http://www.diamondhead.net/p9.htm>).