



() -

*

The International Index of) IIEF

(Erectile Function

(/)

.(Odds Ratio = /)

Odds Ratio)

Odds Ratio

•

NIH

.()

.(

.()

.()

/

.()

()

()

(HbA_{1c})
$$\leq (\text{FBS})$$

()

¹ National Institutes of Health (U.S. Public Health Service)
² Diagnostic and Statistical Manual of Mental Disorders 4th ed.

.()

.()

HbA _{1c}	HbA _{1c}	
HbA _{1c} (Good)	/	IEF
(Fair)	/ -	
	HbA _{1c} .()	(-)
.()	(Poor)	

Erectile Dysfunction Score

SPSS

(ED Score)

Odds Ratio

—

—

•

(Moderate ED)

(Mild ED)

.() (Severe ED)

$$(\quad / \quad)$$
$$(\quad / \quad)$$

1)

II EF

1)

(

(

•

•

()

—

 ζ
$$(/)^*$$

—

(/)

(/)

1

(/)

1

(1)

()

✻

5

$$\cdot \left(\quad \right)$$
$$(\quad / \quad)$$

—

—

/		Odds Ratio	-	-
	.()	Odds Ratio .()	/	/
				:

	ζ	ζ	ζ	ζ	$(\ /)^*$	-	$(\)$
/					$(\ /)$	-	
/					$(\ /)$	-	
	-	-	-		$(\ /)$		
/	-	-	-		$(\ /)$		
					$(\ /)$		
/					$(\ /)$		
/					$(\ /)$		
	-				$(\ /)$		
/					$(\ /)$		
/			-		$(\ /)$		
/			-		$(\)$	+	
	-	-	-		$(\ /)$		
/	-	-	-		$(\ /)$		

1	()	*
2		2

$$\left(\frac{a}{b} \right)$$

.(Odds Ratio =)

/ / Odds Ratio
.()

$$\left(\begin{array}{c} 1 \\ 0 \end{array} \right) \quad \left(\begin{array}{c} 1 \\ 0 \end{array} \right)$$
$$\text{Odds Ratio} = \frac{a/b}{c/d} = \frac{a \cdot d}{b \cdot c} \quad \text{.(Odds Ratio = } a/b \text{)}$$

.() / Odds Ratio . (/)

		Odds Ratio	
		()	/ -
		()	:
		*	
		()	
		) % /	
		()	Rubin & Babbott
		()	Ellenberg
		()	Faerman et al.
		()	McCulloch et al.
		()	Nathan et al.
		()	Cavan et al.
		()	Modebe
		()	Quadri et al.
		()	Brunner et al.
		()	Klein et al.
		()	Siu et al.
		(/) ()	El-Sakka et al.
		*	

(P < /)	(McCulloch)	(P < /)	(Modeb)
(P < /)	(Klein)	(Nathan)	
		(P < /)	
	()	(/)	-
		-	
			()
			()

.()

.()

—

/

/

.()

•

.()

$$\cdot (\quad)$$

(Browne)

/

•

HbA_{1c}

/

—

.()

—

.() (P= /

/

/)

(Siu)

.()

■

.()

—

(Balanitis)

—

/

(Peyronies)

(phimosis)

—

.()

(Corpora Cavernosal)

—

—

$$(\quad / \quad)$$

—

—

—

.()

•

(Fedel)

.()

.()

(-).

().

References:

1. Beutel ME, Weidner W, Brahler E. Epidemiology of sexual dysfunction in the male population. *Andrologia* 2006;38:115-21.
2. Cartledge JJ, Eardley I, Morrison JF. Nitric oxide-mediated corpus cavernosal smooth muscle relaxation is impaired in ageing and diabetes. *BJU international* 2001;87:394-401.
3. Pegge NC, Twomey AM, Vaughton K, et al. The role of endothelial dysfunction in the pathophysiology of erectile dysfunction in diabetes and in determining response to treatment. *Diabet Med* 2006;23:873-8.
4. Paick JS, Yang JH, Kim SW, Ku JH. Severity of erectile dysfunction in married impotent patients: interrelationship with anthropometry, hormones, metabolic profiles and lifestyle. *Int J Urol* 2007;14:48-53.
5. Colakoglu Z, Kutluay E, Ertekin C, et al. Autonomic nerve involvement and venous leakage in diabetic men with impotence. *BJU Int* 1999;83: 453-6.
6. Rance J, Phillips C, Davies S, et al. How much of a priority is treating erectile dysfunction? A study of patients' perceptions. *Diabet Med* 2003;20:205-9.
7. Ferro A. Erectile dysfunction in diabetes: 'NO' role for the endothelium? *Int J Clin Pract* 2006;60:1154-5.
8. Browne DL, Meeking DR, Allard S, et al. Diabetic erectile dysfunction--an indicator of generalised endothelial function per se? *Int J Clin Pract* 2006;60:1323-6.
9. Kuzuya T, Nakagawa S, Satoh J, et al. Report of the Committee on the classification and diagnostic criteria of diabetes mellitus. *Diabetes Res Clin Pract* 2002;55:65-85.
10. Rosen RC, Cappelleri JC, Gendrano N, 3rd. The International Index of Erectile Function (IIEF): a state-of-the-science review. *Int J Impot Res* 2002;14:226-44.
11. Bacon CG, Hu FB, Giovannucci E, et al. Association of type and duration of diabetes with erectile dysfunction in a large cohort of men. *Diabetes care* 2002; 25:1458-63.
12. Fedele D, Coscelli C, Santeusano F, et al. Erectile dysfunction in diabetic subjects in Italy. Gruppo Italiano Studio Deficit Erettile nei Diabetici. *Diabetes care* 1998;21:1973-7.
13. Safarinejad MR. Prevalence and risk factors for erectile dysfunction in a population-based study in Iran. *Int J Impot Res* 2003;15:246-52.
14. Ponholzer A, Temml C, Mock K, et al. Prevalence and risk factors for erectile dysfunction in 2869 men using a validated questionnaire. *Eur Urol* 2005;47:80-5.
15. Rubin A, Babbott D. Impotence and diabetes mellitus. *J Am Med Assoc* 1958;168:498-500.
16. Montenero P, Donatone E. Preliminary results on the gentamicin effect in the urinary tract infections of diabetic subjects. *G Ital Chemioter* 1969;16:130-2.
17. Prikhozhan VM. Impotence in diabetes mellitus. *Probl Endokrinol* 1967;13:37-41.
18. Beyer J, Schoffling K. Clinical experience with glibenclamide in 300 diabetics. *Postgrad Med J* 1970;Suppl:78-83.
19. Ellenberg M. Impotence in diabetes: the neurologic factor. *Ann Intern Med* 1971; 75: 213-9.
20. Faerman I, Vilar O, Rivarola MA, et al. Impotence and diabetes. Studies of androgenic function in diabetic impotent males. *Diabetes* 1972;21:23-30.
21. Quadri R, Zandone M, Maule S, Ponzani P, Fonzo D. Is it possible to prevent andrological complications in the diabetic patient?. *Arch Ital Urol Nefrol Androl* 1991;63:435-9.
22. McCulloch DK, Campbell IW, Wu FC,

- Clarke B, Prescott RJ. Impotence in diabetic and non-diabetic hospital outpatients. *Br Med J* 1980;281:1216.
23. Cavan DA, Barnett AH, Leatherdale BA. Diabetic impotence: risk factors in a clinic population. *Diabetes Res* 1987;5:145-8.
24. Modebe O. Erectile failure among medical clinic patients. *Afr J Med Med Sci* 1990;19:259-64.
25. Romeo JH, Seftel AD, Madhun ZT, et al. Sexual function in men with diabetes type 2: association with glycemic control. *J Urol* 2000;163:788-91.
26. Brunner GA, Pieber TR, Schattenberg S, et al. Erectile dysfunction in patients with type I diabetes mellitus. *Wien Med Wochenschr* 1995;145:584-6.
27. Klein R, Klein BE, Lee KE, Moss SE, Cruickshanks KJ. Prevalence of self-reported erectile dysfunction in people with long-term IDDM. *Diabetes care* 1996;19:135-41.
28. Nathan DM, Singer DE, Godine JE, Perlmutter LC. Non-insulin-dependent diabetes in older patients. Complications and risk factors. *Am J Med* 1986;81:837-42.
29. Siu SC, Lo SK, Wong KW, et al. Prevalence of and risk factors for erectile dysfunction in Hong Kong diabetic patients. *Diabet Med* 2001;18:732-8.
30. El-Sakka AI, Tayeb KA. Erectile dysfunction risk factors in noninsulin dependent diabetic Saudi patients. *J Uro* 2003;169:1043-7.
31. Bortolotti A, Parazzini F, Colli E, Landoni M. The epidemiology of erectile dysfunction and its risk factors. *Int J Androl* 1997;20:323-34.
32. Alexander W. The management of erectile dysfunction associated with diabetes. *Sex Dys* 1998; 1: 113-8.